NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE

... Made available under NASA sponsorship in the interest of early and wide distinction of Earth Resources Survey in the interest of Earth Resources Survey program information and without liability program information thereof."

E82-10240 CR-168756

INVESTIGATIONS OF MEDIUM WAVELENGTH MAGNETIC ANOMALIES IN THE EASTERN PACIFIC USING MAGSAT DATA

Christopher G. A. Harrison University of Miami Rosenstiel School of Marine & Atmospheric Science 4600 Rickenbacker Causeway Miami, Florida 33149

(E82-10240) INVESTIGATIONS OF MEDIUM N82-23613
WAVELENGTH MAGNETIC ANOMALIES IN THE FESTERN
PACIFIC USING MAGSAT INTELLE REPORT, JUL. Sep. 1981 (Miami Univ.) 2 p EC A02/MF A01 Unclas
CSCL 08G G3/43 00240

November,1981 Interim Report for Period July-September 1981

RECEIVED

JAN 7, 1982

SIS/902.6

Prepared for

M-025

GODDARD SPACE FLIGHT CENTER

T485 II

Greenbelt, Maryland 20771

(MAGSAT Investigators)

QUAR' ERLY REPORT

JULY - SEPTEMBER 1981

The main body of research this quarter has been directed at the understanding of the long wavelength (~3000 km) anomalies appearing in the MAGSAT anomaly map. The existence of these anomalies resulted in controversy during the IAGA meeting during the summer. We cannot believe that these anomalies can be attributed to crustal sources but rather core sources that spherical harmonic models have failed to remove from the data. If true, this supposition has grave consequences for anybody attempting crustal magnitization modeling in large areas. Spectra of MAGSAT profiles of anomalous field tend to support the view that the spherical harmonic model is not performing as expected. As a result we are studying the details of spherical harmonic representations of the Earth's magnetic field.

During this quarter we also received the first of the INVESTIGATOR

'B' QUIET TIME tapes covering the time span NOVEMBER 1979 - FERRUARY

1980. The data set seems to be error free. We have noted the change to an updated spherical harmonic model presumably corrected for the seasonal ionospheric currents which croaminated the previous model.

Due to the attendance of the P.I. at the IAGA meeting and because of discussions concerning the wavelength of crustal and core anomalies, a paper is being prepared for the special issue of GRL on MAGSAT investigations, in which this question will be discussed.